



NIGHTHAWK DRILLING AT COLOMAC INDICATES WIDENING OF DEPOSIT TO DEPTH MAY NOW SPAN SEVERAL KMS OF STRIKE LENGTH

Press Release dated January 7, 2020

Complete Assay Table - Colomac Drilli Results for Zones 3.5 and 3.0

Hole ID	Zone	Collar Orientations (degrees)		Intersection (Metres)		Core Length	True Width	Gold Grade
		Azimuth	Dip	From	To	(Metres)*	(Metres)	gpt
C19-26	3.5	103	-65	242.00	243.00	1.00		3.85
				254.00	314.45	60.45		0.85
<i>including</i>				264.50	314.45	49.95	25.00	0.93
<i>including</i>				264.50	272.00	7.50		1.75
<i>including</i>				267.50	271.25	3.75		2.37
<i>including</i>				303.50	310.70	7.20		2.10
<i>including</i>				305.50	309.95	4.45		2.80
<i>including</i>				306.00	309.95	3.95		2.94
C19-27	3.5	103	-65	109.00	109.75	0.75		2.10
				188.75	192.00	3.25		0.45
				214.50	219.50	5.00		0.83
<i>including</i>				219.00	219.50	0.50		4.99
				245.00	251.50	6.50		0.99
<i>including</i>				247.25	250.50	3.25		1.68
				257.50	259.50	2.00		1.37
				275.50	276.00	0.50		10.95
				282.00	283.00	1.00		1.51
<i>including</i>				282.50	283.00	0.50		2.91
				293.25	297.00	3.75		1.02
<i>including</i>				296.25	297.00	0.75		2.71
				302.75	303.75	1.00		0.53
				309.25	380.75	71.50	36.00	1.33
				313.50	374.25	60.75		1.49
<i>including</i>				313.50	323.50	10.00		2.06
<i>including</i>				313.50	317.25	3.75		4.59
<i>including</i>				332.75	373.75	41.00	20.00	1.64
<i>including</i>				332.75	335.25	2.50		3.19
<i>including</i>				342.00	343.50	1.50		3.31
<i>including</i>	349.50	374.25	24.75	12.00	1.97			
<i>including</i>	353.25	355.25	2.00		2.74			

Hole ID	Zone	Collar Orientations (degrees)		Intersection (Metres)		Core Length	True Width	Gold Grade
		Azimuth	Dip	From	To	(Metres)*	(Metres)	gpt
<i>including</i>				356.75	374.25	17.50		2.26
<i>including</i>				362.00	364.50	2.50		2.96
<i>including</i>				369.75	374.25	4.50		4.50
<i>including</i>				372.00	374.25	2.25		6.53
<i>including</i>				374.75	376.25	1.50		0.53
<i>including</i>				379.75	380.75	1.00		1.22
				384.50	385.25	0.75		3.97
C19-29				362.00	362.75	0.75		0.77
				413.75	415.75	2.00		5.03
				429.50	430.25	0.75		0.42
				432.50	435.50	3.00		2.76
<i>including</i>				434.00	435.50	1.50		3.55
	3.5	103	-70	455.00	455.75	0.75		0.57
				458.50	462.50	4.00		0.60
				466.25	475.25	9.00		0.77
<i>including</i>				468.50	470.75	2.25		1.13
<i>including</i>				473.00	475.25	2.25		1.41
C19-50				33.00	34.00	1.00		0.41
				35.75	36.45	0.70		1.54
				202.00	203.00	1.00		0.40
				243.75	348.75	105.00	45.00	1.35
<i>including</i>				243.75	326.25	82.50		1.52
<i>including</i>				243.75	288.75	45.00	20.00	2.00
<i>including</i>				247.50	282.00	34.50		2.38
<i>including</i>				250.50	255.00	4.50		2.98
<i>including</i>				267.75	280.50	12.75		3.23
<i>including</i>	3.5	100	-68	267.75	270.75	3.00		4.66
<i>including</i>				274.00	280.50	6.50		3.75
<i>including</i>				292.50	294.50	2.00		2.07
<i>including</i>				298.25	303.75	5.50		2.35
<i>including</i>				298.25	300.75	2.50		3.79
<i>including</i>				306.00	307.50	1.50		1.63
<i>including</i>				330.00	330.75	0.75		1.66
<i>including</i>				334.50	336.00	1.50		1.63
<i>including</i>				345.75	348.75	3.00		1.68
				362.85	365.00	2.15		0.70
C19-34				137.75	162.25	24.50	15.00	0.66
<i>including</i>	3	270	-55	137.75	140.75	3.00		1.08
<i>including</i>				149.75	161.50	11.75		0.88

Hole ID	Zone	Collar Orientations (degrees)		Intersection (Metres)		Core Length	True Width	Gold Grade
		Azimuth	Dip	From	To	(Metres)*	(Metres)	gpt
<i>including</i>				149.75	156.50	6.75		1.15
<i>including</i>				149.75	153.50	3.75		1.38
<i>including</i>				160.00	161.50	1.50		1.10
				168.25	176.35	8.10		0.61
<i>including</i>				168.25	171.50	3.25		0.97
<i>including</i>				175.00	176.35	1.35		0.83
				179.25	180.00	0.75		1.57
				180.75	181.50	0.75		0.59
				189.00	190.00	1.00		1.19
				192.00	193.00	1.00		1.82
C19-34B				306.40	307.40	1.00		3.54
				324.00	325.40	1.40		0.80
				331.25	332.75	1.50		1.50
				352.75	355.00	2.25		0.31
				355.75	357.50	1.75		0.34
	3	270	-80	366.00	379.25	13.25	6.00	1.70
<i>including</i>				370.50	378.60	8.10		1.87
<i>including</i>				373.70	378.60	4.90		2.18
				387.50	392.00	4.50		2.82
<i>including</i>				390.50	392.00	1.50		5.61
				395.45	396.75	1.30		0.71
C19-44				132.30	162.95	30.65	20.00	1.81
<i>including</i>				134.30	137.35	3.05		2.00
<i>including</i>				141.50	162.95	21.45		2.08
<i>including</i>				146.00	162.95	16.95		2.33
<i>including</i>	3	298	-50	151.00	156.85	5.85		3.64
<i>including</i>				155.25	156.85	1.60		7.10
<i>including</i>				158.35	161.15	2.80		2.57
				178.00	179.75	1.75		0.50

* Lengths are reported as core lengths. True widths vary depending on drill hole dip.